

# Drain Augers

For the Do It Yourself Market

Increase drain auger sales by ordering Premium Drain Augers with attractive tamper resistant plastic display bags. Augers come with professional-style sliding crank handles with smoothly working hand grips. This feature gives the auger a more attractive, high quality appearance.

Made from high tensile bright wire. 1/4" augers have a basin plug head for easy threading through strainer. 3/8" augers have a large bulb-shaped corkscrew boring head.



Catalog Number	Length and Diameter	Standard Pack	Weight per Carton
H-8PQH	8 ft. x 1/4" (2.4 m x 6 mm)	24	31 lbs. (14 kg)
H-25PQH	25 ft. x 1/4" (7.6 m x 6 mm)	12	39 lbs. (18 kg)
H-25PMH	25 ft. x 3/8" (7.6 m x 9.5 mm)	6	39 lbs. (18 kg)
H-50PMH	50 ft. x 3/8" (15.2 m x 9.5 mm)	3	36 lbs. (16 kg)

# Power Line

For the Do It Yourself Market

## BD Drain Gun™

The BD Drain Gun power drain cleaner with Quick-Grip™ chuck makes drain cleaning faster and easier than ever. Ideal for the home handy man, the easy-to-use BD Drain Gun quickly clears clogged sinks, tubs and laundry drains. The patented Quick-Grip chuck tightens firmly against the drain snake with just a quarter turn and lets the homeowner tackle stubborn clogged drains like a professional. It includes 25 ft. x 1/4" tough Flexicore® cable with a wire rope inner core for toughness and durability, a sturdy plastic drum, and convenient grip shield. It's powered by a variable speed 3.2 amp double insulated UL approved motor.



Cat. No.	Description	Weight
H-BD-J	with 25 ft. x 1/4" (25FL1) Flexicore Cable	12 lbs. (5 Kg)



## Little Mike®

The Little Mike is a compact tool for drain cleaning at a very reasonable price. The drum holds 50 ft. x 5/16" Flexicore wire rope center cable to clear lines up to 2" in diameter. A thumb-screw grips the cable. Includes pneumatic foot pedal for safety and speed control.

Cat. No.	Description	Weight
H-LMB	with 50 ft. x 5/16" (50FL1A) Flexicore Cable	24 lbs. (11 Kg)



## Micro Rooter®


The Micro Rooter is for inside lines up to 3" in diameter. The drum holds 50 ft. x 3/8" Flexicore wire rope center cable. Jacobs hand-tight chuck tightens firmly against the drain snake. Drum can easily be removed for added portability. Includes pneumatic foot pedal for safety and speed control.

Cat. No.	Description	Weight
H-MI50AC	with 50 ft. x 3/8" (50FL2) Flexicore Cable	33 lbs. (15 Kg)

# Sectional Sewer Rods


## Cutters for 1/4" x 6 Foot Rods


All parts are coated to resist corrosion.

**SE-1 – Corkscrew for 2" Pipe**   
Used to start water flowing.

**SE-2 – Diamond Head**   
For small, grease packed waste line.

**SE-3 – Root Cutter**   
Shears tough roots and breaks up hard packed stoppages.

**SE-5 – Corkscrew for 4" Pipe**   
For clearing roots, grease, and more.

**SE-6 – Pick-up Tool**   
Retrieves broken rods or tools.



**SSRC – Sectional Rod Coupling**  
Sectional Rods assemble at right angles and cannot come apart in the line.

**SE-8 – Assembly Wrench**   
Used with Turning Handle for coupling and uncoupling rods.

**SE-9 – Turning Handle**   
Provides great leverage in boring, pulling or pushing while maintaining tension.


# Municipal Sewer Rods

## 5/16" Sections and Cutters

All parts are coated to resist corrosion.


**3MSR – Municipal Rod**  
39" x 5/16" Section with Coupling

**MSRC – Municipal Rod Coupling**  
With solid wall between end opening for easier connecting.

**M-21 – Municipal Rod Turning Handle**   
Provides great leverage in boring, pulling or pushing while maintaining tension.


**M-24 – Assembly Wrench**   
Used with Turning Handle for coupling and uncoupling rods.


**M-27 – Corkscrew for 2" Pipe**   
Used to start water flowing.


**M-28 – Diamond Head**   
For small, grease packed waste line.



**M-29 – Root Cutter**   
Shears tough roots and breaks up hard packed stoppages.

**M-31 – Pick-up Tool**   
Retrieves broken rods or tools.

**M-32 – Corkscrew for 4" Pipe**   
For clearing roots, grease, and more.

**M-4HDB – 4" Heavy Duty Saw Blade**   
Heavy gauge steel blade has teeth in front and back to chew into roots going into and coming out of the line. Available in 4", 6" and 8" sizes.

**M-6HDB – 6" Heavy Duty Saw Blade** 

# Flat Sewer Rod

**A Sturdy Tool for Cleaning Drain Lines and Sewers**

Oil tempered spring steel is resistant to rusting and kinking. The rod is bolted to the frame at the back, so it can't spring out of the frame when you near the end. A comfortable, efficient Quick-Grip Handle makes the work go faster.



All sizes furnished with Quick-Grip Handle and Roller Head.

Pipe Size	Catalog Number	Feet	Weight Pounds with Holder
1/2" x 1/16" 2" thru 3"	50 B 100 B	50 100	7-1/2 12-1/2
3/4" x 1/16" 2" thru 4"	50 C 100 C	50 100	10 18
1/2" x 1/8" 2" thru 4"	50 H 100 H	50 100	14 22
3/4" x 1/8" 4" thru 6"	50 D 100 D	50 100	19 35

**Flat Sewer Rod Cutter  
Revolving Roller Head**



Catalog No.	For Rod Size	Diameter Head	Weight Pounds
1-R	B	1-1/8"	1/4
2-R	C, H, and D	1-1/2"	1/2

# Drain Flusher

**For the Do It Yourself Market**

Just attach to garden hose and slide Drain Flusher into drain. Water expands Flusher to size of pipe. Then water pressure pushes stoppage down the line.

Equipped with back-flow preventer on the inlet side. Made of tough reinforced nylon to resist punctures. Far more durable than rubber. Narrow profile and internal flat spring help work Drain Flusher around bends. Blister packed on three-color cards.



Number No	Size	Weight Pounds
1.5DF	1-1/2"	1/2
2.5DF	2-1/2"	1/2
3DF	3"	3/4
4DF	4"	1
6DF	6"	1.25



# Test Plugs



With rugged cast aluminum body, smoothly turning cast iron wing nut, and live rubber ball. Rugged construction throughout. Available in 1-1/2", 2", 3" and 4" sizes.